ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GR--ETC F/G 6/20
TOPICAL HAZARD EVALUATION PROGRAM OF CANDIDATE INSECT REPELLENT--ETC(U)
OCT 79 A W SINGER
USAEHA-75-51-0025-80 NL AD-A076 321 UNCLASSIFIED OF | END DATE FILMED






UNITED STATES ARMY ENVIRONMENTAL HYGIENE AGENCY

ABERDEEN PROVING GROUND, MD 21010

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-70735aGa
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUND
STUDY NO. 75-51-0025-80
APRIL 1977 - AUGUST 1979



Approved for public release, distribution unlimited.

	Unclassified			
-1	SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)			
(14)	USAEHA-REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM		
9	75-51-8925-89	Fixal rept.		
-	4. TITLE (and Subtitio)	TIPE UT REPORT & PORTO SAMPLED		
6	Topical Hazard Evaluation Program of Candidate Insect Repellent AI3-70735aGa, US Department of	Final, Apr 77 - Aug 79		
	Agriculture Proprietary Compound,	6. PERFORMING ORG. REPORT NUMBER		
	April 1977 to August 1979	8. CONTRACT OR GRANT NUMBER(e)		
19	ALLEN W. SINGER CPT, VC 31 Oct 7			
	9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Environmental Hygiene Agency Aberdeen Proving Ground, MD 21010	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
	11. CONTROLLING OFFICE NAME AND ADDRESS Commander	12. REPORT DATE		
	US Army Health Services Command	Apr 77 - Aug 79		
	Fort Sam Houston, TX 78234	13. NUMBER OF PAGES		
	14. MONITORING AGENCY NAME & ADDRESS(If different from Controlling Office)	15. SECURITY CLASS. (of this report)		
		Unclassified		
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
	Approved for public release; distribution unlimited.			
	17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, If different from Report)			
	19. KEY WORDS (Continue on reverse side if necessary and identify by block number)			
	AI3-70735aGa topical hazard evaluation candidate repellent USDA Proprietary Compound			
	ALD eye irritation			
- \	skin irritation 20. ABSTRACT (Continue on reverse olds N respectacy and identify by block number	,——————————————————————————————————————		
	A preliminary hazard evaluation of AI3-70735aGa was laboratory animal studies using rats, rabbits, and grade compound caused mild corneal irritation and pif ingested. It did not cause any skin or photoirr guinea pigs. It was recommended that AI3-70735aGa, be approved for further testing as a candidate inse	performed by means of guinea pigs. The technical roved to be moderately toxic itation and did not sensitize USDA Proprietary Compound,		

DD 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE Unclassified

Unclassified

###



DEPARTMENT OF THE ARMY U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY

ABERDEEN PROVING GROUND, MARYLAND 21010

CPT Singer/jg/AUTOVON 584-3980

HSE-LT-T/WP

3 1 OCT 1979

SUBJECT:

Topical Hazard Evaluation Program of Candidate Insect Repellent AI3-70735aGa, US Department of Agriculture Proprietary Compound. Study No. 75-51-0025-80, April 1977 to August 1979

Executive Secretary Armed Forces Pest Control Board Forest Glen Section, WRAMC Washington, DC 20012

A summary of the pertinent findings and recommendations of the inclosed report follows:

A preliminary hazard evaluation of AI3-70735aGa was performed by means of laboratory animal studies using rats, rabbits, and guinea pigs. The technical grade compound caused mild corneal irritation and proved to be moderately toxic if ingested. It did not cause any skin or photoirritation and did not sensitize guinea pigs. It was recommended that AI3-70735aGa. USDA Proprietary Compound, be approved for further testing as a candidate insect repellent.

FOR THE COMMANDER:

1 Incl as (5 cy) BRENDAN E. JOYCE, Ph.D.

Beenker 7

COL, MSC

Director, Laboratory Services

CF:

HQDA (DASG-PSP)

Cdr, HSC (HSPA-P)

Dir, Advisory Ctr on Tox, NRC

Supt, AHS (HSA-IPM) USDA, ARS (Dr. Terrence McGovern)

USDA, ARS-Southern Region

Approved for public release, distribution unlimited.



DEPARTMENT OF THE ARMY U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GROUND, MARYLAND 21010

TOPICAL HAZARD EVALUATION PROGRAM
OF CANDIDATE INSECT REPELLENT AI3-70735aGa
US DEPARTMENT OF AGRICULTURE PROPRIETARY COMPOUND
STUDY NO. 75-51-0025-80
APRIL 1977 - AUGUST 1979

1. AUTHORITY.

- a. Letter, US Department of Agriculture Agricultural Research Service, Southern Region, Insects Affecting Man Research Laboratory, Gainesville, Florida, 5 April 1977.
- b. Memorandum of Understanding between the US Army Environmental Hygiene Agency; the US Army Health Services Command, the Department of the Army Office of The Surgeon General; the Armed Forces Pest Control Board; and the US Department of Agriculture, Agricultural Research, Science and Education Administrations, titled, Coordination of Biological and Toxicological Testing of Pesticides, effective 23 January 1979.
- 2. REFERENCE. Toxicology Division Procedural Guide, US Army Environmental Hygiene Agency (USAEHA), 1972, revised 1976.
- 3. PURPOSE. The purpose of this program is to provide guidance for further entomological testing of the candidate insect repellent AI3-70735aGa.
- 4. SUMMARY OF FINDINGS. A hazard evaluation of the candidate repellent AI3-70735aGa, US Department of Agriculture (USDA) Proprietary Compound, was conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for a skin sensitization study and Sprague-Dawley rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows:*t

^{*} In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education and Welfare Publication No. (NIH) 74-23, revised 1978.

t The experiments reported herein were performed in animal facilities, fully accredited by the American Association for the Accreditation of Laboratory Animal Care.

Study No. 75-51-0025-80, Apr 77 - Aug 79

TABLE. PRESENTATION OF DATA

Test

Results

Interpretation

SKIN IRRITATION STUDIES

Rabbits

Single 24-hour application Compound AI3-70735aGa did to intact and abraded skin of New Zealand White rabbits.

0.5 ml technical grade compound applied to each of six rabbits.

not cause any irritation of the intact skin or of the skin surrounding an abrasion.

USAEHA Category I (ref Appendix).

EYE IRRITATION STUDIES

Rabbits

Single 24-hour application Compound AI3-70735aGa of 0.1 ml technical grade compound to one eye of each of six New Zealand White rabbits.

caused a mild corneal irritation in 5 of 6 rabbits at 24 hours. Evidence of injury was present at 72 hours, but all eyes had healed by 7 days.

USAEHA Category B (ref Appendix).

APPROXIMATE LETHAL DOSE (ALD)

Oral

Rats (male) - no diluent

ALD = 851 mg/kg

Presents a moderate lethal hazard from accidental ingestion.

NTIS White Section DDC Buff Section DUNANNOUNCED DUSTRIBUTION/AVAILABILITY CODES DISTRIBUTION/AVAILABILITY CODES	ACCESSION for	
UNANNOUNCED JUSTIFICATION BY DISTRIBUTION/AVAILABILITY CODES	NTIS	White Section
BY DISTRIBUTION/AVAILABILITY CODES	DDC	Buff Section
BY DISTRIBUTION/AVAILABILITY CODES	UNANNOUNCED	
	JUSTIFICATION	
0		

Test

Results

Interpretation

PHOTOCHEMICAL SKIN IRRITATION STUDIES

Rabbits

A single 0.05 ml application of a 25 percent (w/v) solution of the compound and a 10 percent (w/v) 0il of Bergamot solution (positive control) in 95 percent ethyl alcohol were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm.

A 25 percent solution of AI3-70735aGa in ethanol did not cause a photochemical irritation reaction under test conditions.

Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas. Compound AI3-70735aGa did not cause a photo-chemical irritation reaction under test conditions and is not expected to cause a photochemical irritation in humans.

Control

Following UV exposures of the rabbits, 0.05 ml of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation at 24, 48 and 72 hours.

Test

Results

Interpretation

SENSITIZATION STUDIES

Guinea Pigs (Male)

Intradermal injections of 0.1 ml of a 0.1 percent solution (w/v) of AI3-70735aGa or of dinitrochlorobenzene (DNCB)* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline.

Ten test guinea pigs were given 10 sensitizing doses over a 3-week period. After 2 weeks rest, they were challenged with ID injections of test compound.

Challenge dose of AI3-70735aGa did not produce a sensitization reaction.

Compound AI3-70735aGa did not produce a sensitization reaction under test conditions and is not expected to produce a sensitization reaction in man.

Ten positive control guinea Challenge dose of DNCB in pigs were sensitized over positive control guinea 3 weeks with DNCB. After 2 pigs produced a marked weeks rest, they were chal- sensitization reaction in lenged with ID injections 10 out of 10 guinea pigs. of DNCB.

DNCB produced a marked reaction, indicating the guinea pigs respond to sensitizing agents.

A known skin sensitizer

Study No. 75-51-0025-80, Apr 77 - Aug 79

- 5. CONCLUSION. Technical grade compound AI3-70735aGa caused mild corneal irritation and is moderately toxic by ingestion. It did not cause any primary or photoirritation, and did not produce any sensitization reaction.
- 6. RECOMMENDATION. Under the provisions of the Memorandum of Understanding (paragraph 1b), it is recommended that AI3-70735aGa, USDA Proprietary Compound, be approved for further testing as a candidate insect repellent.

ALLEN W. SINGER CPT, VC

Laboratory Veterinarian Toxicology Division

APPROVED:

ARTHUR H. MCCREESH, Ph.D. Chief, Toxicology Division

TOPICAL HAZARD EVALUATION PROGRAM DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING CONSIDERED FOR ACUTE SKIN APPLICATION

<u>CATEGORY I</u> - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

<u>CATEGORY II</u> - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals.)

CATEGORY IV - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation, and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals, prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

CATEGORY V - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

- A. <u>Compounds noninjurious to the eye</u>. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.
- B. <u>Compounds producing mild injury to the cornea</u>. INTERPRETATION: Should be used with caution around the eyes.
- C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.
- D. Compounds producing moderate injury to the cornea. INTERPRETATION: Should be used with extreme caution around the eyes.
- E. Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.
- F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.